Restoration of a Forested Wetland Ecosystem in a Thermally Impacted Stream Corridor (U)

by

1)

E. A. Nelson

Westinghouse Savannah River Company Savannah River Site Aiken, South Carolina 29808 W. H. McKee Jr.

C. J. Dulohery

A document prepared for NATIONAL INTERAGENCY WORKSHOP ON WETLANDS at New Orleans from 04/03/95 - 04/07/95.



DOE Contract No. DE-AC09-89SR18035

This paper was prepared in connection with work done under the above contract number with the U.S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

CONF-9504194--1

WSRC-MS-95- 00つみ

D. B. Moore-Shedrow, Manager Authorized Derivative Classifier

Restoration of a Forested Wetland Ecosystem in a Thermally Impacted Stream Corridor (U)

by

د . .

Eric A. Nelson

Westinghouse Savannah River Company Savannah River Technology Center Environmental Sciences Section Aiken, South Carolina 29802

A paper proposed for publication in Proceedings of the National Interagency Workshop on Wetlands, New Orleans, LA., April 3-7, 1995.

This information contained in this article was developed during the course of work under Contract No. DE-AC09-89SR18035 with the US Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper along with the right to reproduce all or part of the copyrighted paper. D. B. Moore-Shedrow, Manager Authorized Derivative Classifier

Restoration of a Forested Wetland Ecosystem in a Thermally Impacted Stream Corridor (U)

by

• •

Eric A. Nelson

Westinghouse Savannah River Company Savannah River Technology Center Environmental Sciences Section Aiken, South Carolina 29802

This information contained in this article was developed during the course of work under Contract No. DE-AC09-89SR18035 with the US Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper along with the right to reproduce all or part of the copyrighted paper.

Restoration of a Forested Wetland Ecosystem in a Thermally Impacted Stream Corridor

* *

by

Eric A. Nelson¹, William H. McKee Jr.², and Cornelius J. Dulohery² ¹ Savannah River Tech. Center, Westinghouse Savannah River Corp., Aiken, SC ² Center for Forested Wetlands Research, US Forest Service, Charleston, SC

The Savannah River Swamp is a 3020 Ha forested wetland on the floodplain of the Savannah River and is located on the Department of Energy's Savannah River Site (SRS) near Aiken, SC. Historically the swamp consisted of approximately 50% bald cypress-water tupelo stands, 40% mixed bottomland hardwood stands, and 10% shrub, marsh, and open water. Creek corridors were typical of Southeastern bottomland hardwood forests. The hydrology was controlled by flooding of the Savannah River and by flow from four creeks that drain into the swamp prior to flow into the Savannah River. Upstream dams have caused some alteration of the water levels and timing of flooding within the floodplain.

Major impacts to the swamp hydrology occurred with the completion of the production reactors and one coal-fired powerhouse at the SRS in the early 1950's. Water was pumped from the Savannah River, through secondary heat exchangers of the reactors, and discharged into three of the tributary streams that flow into the swamp. Flow in one of the tributaries, Pen Branch, was typically 10-20 cfs prior to reactor pumping and 400 cfs during pumping. This continued from 1954 to 1988 at various levels. The sustained increases in water volume resulted in

overflow of the original stream banks and the creation of additional floodplains. Accompanying this was considerable erosion of the original stream corridor and deposition of a deep silt layer on the newly formed delta. Heated water was discharged directly into Pen Branch and water temperature in the stream often exceeded 50 degrees C. The nearly continuous flooding of the swamp, the thermal load of the water, and the heavy silting resulted in complete mortality of the original vegetation in large areas of the floodplain.

÷

.

.

•



In the years since pumping was reduced, early succession has begun in some affected areas (see figure). Most of this has been herbs, grasses, and shrubs. Areas that have seedlings are generally willow thickets that support a lower diversity of wildlife. No volunteer seedlings of heavy-seeded hardwoods or cypress have been found in the corridor areas. Research has been ongoing to determine methods to reintroduce tree species characteristic of more mature forested wetlands. The goal of the restoration is to create structural and biological diversity in the forest canopy by establishing a mix of species typically present in riparian and wetland forests of the area. It is anticipated that the successful restoration will require a combination of two approaches. They are the rehabilitation of the Pen Branch corridor and delta by natural succession and the reforestation of the corridor and delta by planting. Areas that are identified to have sufficient natural regeneration of desired species are being allowed to evolve naturally to restored condition. These areas appear to be confined to the lower delta and upper corridor regions. Areas that are not naturally reforesting are being aided by planting seedlings of desired late successional species and densities to speed the mitigation process. Silvicultural site preparation has depended on the successional stage of the planting area. Species selection and compositional mix are being altered based on the current and expected hydrological regimes that the reforestation areas will be experiencing.

к 1 с. -

> The process is expected to be a decade-long project. Success criteria for evaluating the establishment and functionality of the forested wetlands will be established based on the monitoring of the project.